

- Abdulkarim B *et al.* A missense mutation in PPP1R15B causes a syndrome including diabetes, short stature, and microcephaly. *Diabetes* 64, 3951–3962 (2015).
- Adams TE & Huntington JA. Structural transitions during prothrombin activation: on the importance of fragment 2. *Biochimie* doi 10.1016/j.biochi.2015.09.013 (2015)
- Alberici F, Smith RM, Jones RB, Roberts DM, Willcocks LC, Chaudhry A, Smith KGC & Jayne DRW. Long-term follow-up of patients who received repeat-dose rituximab as maintenance therapy for ANCA-associated vasculitis. *Rheumatology* 54, 1153–1160 (2015).
- Avezov E, Konno T, Zyryanova A, Chen W, Laine R, Crespillo-Casado A & Ron D. Retarded PDI diffusion and a reductive shift in poise of the calcium depleted endoplasmic reticulum. *BMC Biol.* 13, 2 (2015).
- Ba-Abbad R, Arno G, Carss K, Stirrups K, Penkett CJ, Moore AT, Michaelides M, Raymond FL, Webster AR & Holder GE. Mutations in CACNA2D4 cause distinctive retinal dysfunction in humans. *Ophthalmology* doi:10.1016/j.ophtha.2015.09.045 (2015).
- Baglin TP, Langdown J, Frasson R & Huntington JA. Discovery and characterization of an antibody directed against exosite I of thrombin. *J. Thromb. Haemost.* doi:10.1111/jth.13171 (2015).
- Baker K, Astle DE, Scerif G, Barnes J, Smith J, Moffat G & Raymond FL. Epilepsy, cognitive deficits and neuroanatomy in males with ZDHHC9 mutations. *Ann. Clin. Transl. Neurol.* 2, 559–569 (2015).
- Baker K, Gordon SL, Grozeva D, van Kogelenberg M, Roberts NY, Pike M & Raymond FL. Identification of a human synaptotagmin-1 mutation that perturbs synaptic vesicle cycling. *J. Clin. Invest.* 125, 1670–1678 (2015).
- Baker K, Scerif G, Astle DE, Fletcher PC & Raymond FL. Psychopathology and cognitive performance in individuals with membrane-associated guanylate kinase mutations: a functional network phenotyping study. *J. Neurodev. Disord.* 7, 8 (2015).
- Barbosa AD, Savage DB & Siniosoglou S. Lipid droplet-organelle interactions: emerging roles in lipid metabolism. *Curr. Opin. Cell Biol.* 35, 91–97 (2015).
- Barbosa AD, Sembongi H, Su WM, Abreu S, Reggiori F, Carman GM & Siniosoglou S. Lipid partitioning at the nuclear envelope controls membrane biogenesis. *Mol. Biol. Cell* 26, 3641–3657 (2015).
- Behr ER *et al.* Role of common and rare variants in SCN10A: results from the Brugada syndrome QRS locus gene discovery collaborative study. *Cardiovasc Res.* 106, 520–529 (2015).
- Bell CJ *et al.* Sustained *in vivo* signaling by long-lived IL-2 induces prolonged increases of regulatory T cells. *J. Autoimmun.* 56, 66–80 (2015).
- Berry GJ, Frielle C, Luu T, Salzberg AC, Rainbow DB, Wicker LS & Waldner H. Genome-wide transcriptional analyses of islet-specific CD4⁺ T cells identify Idd9 genes controlling diabetogenic T cell function. *J. Immunol.* 194, 2654–2663 (2015).
- Bianciardi L *et al.* MECP2 missense mutations outside the canonical MBD and TRD domains in males with intellectual disability. *J. Hum. Genet.* doi:10.1038/jhgh.2015.118 (2015).

- Bowes J *et al.* Dense genotyping of immune-related susceptibility loci reveals new insights into the genetics of psoriatic arthritis. *Nature Comm.* 6, 6046 (2015).
- Bright NA, Wartosch L & Luzio JP. Lysosome fusion in cultured mammalian cells. *Meth. Cell Biol.* 126, 101–118 (2015).
- Bunkóczi G, McCoy AJ, Echols N, Grosse-Kunstleve RW, Adams PD, Holton JM, Read RJ & Terwilliger TC. Macromolecular X-ray structure determination using weak, single-wavelength anomalous data. *Nature Meth.* 12, 127–130 (2015).
- Bunkóczi G, Wallner B & Read RJ. Local error estimates dramatically improve the utility of homology models for solving crystal structures by molecular replacement. *Structure* 23, 397–406 (2015).
- Button RW, Luo S & Rubinsztein DC. Autophagic activity in neuronal cell death. *Neuroscience Bulletin* 31, 382–394 (2015).
- Cano F, Rapiteanu R, Sebastiaan Winkler G & Lehner PJ. A non-proteolytic role for ubiquitin in deadenylation of MHC-I mRNA by the RNA-binding E3-ligase MEX-3C. *Nature Comm.* 6, 8670 (2015).
- Cetica V *et al.* Homozygous deletion in STXBP2 causative of familial hemophagocytic lymphohistiocytosis type 5 (FHL-5). *Pediatric Blood & Cancer* 62, S4 (2015).
- Cetica V *et al.* Genetic predisposition to hemophagocytic lymphohistiocytosis: Report on 500 patients from the Italian registry. *J. Allergy Clin. Immunol.* doi:10.1016/j.jaci.2015.06.048 (2015).
- Chambers JE, Dalton LE, Clarke HJ, Malzer E, Dominicus CS, Patel V, Moorhead G, Ron D & Marciniak SJ. Actin dynamics tune the integrated stress response by regulating eukaryotic initiation factor 2 α dephosphorylation. *Elife* 4 doi: 10.7554/eLife.04872 (2015).
- Chambers JE, Dalton LE, Subramanian DN, Goptu B, Balan A, Park SM & Marciniak SJ. Spontaneous pneumothorax can be associated with TGFBR2 mutation. *Eur. Respir. J.* doi:10.1183/13993003.00952-2015 (2015).
- Chaudhry A *et al.* Phenotypic spectrum associated with PTCHD1 deletions and truncating mutations includes intellectual disability and autism spectrum disorder. *Clinical Genet.* 88, 224–233 (2015).
- Chen R, Rato C, Yan Y, Crespillo-Casado A, Clarke HJ, Harding HP, Marciniak SJ, Read RJ & Ron D. G-actin provides substrate-specificity to eukaryotic initiation factor 2 α holophosphatases. *Elife* 4, doi: 10.7554/eLife.04871. (2015).
- Cohen S, Nathan JA & Goldberg AL. Muscle wasting in disease: molecular mechanisms and promising therapies. *Nature Rev. Drug Disc.* 14, 58–74 (2015).
- Cooper NJ, Shtir CJ, Smyth DJ, Guo H, Swafford AD, Zanda M & Todd JA. Detection and correction of artefacts in estimation of rare copy number variants and analysis of rare deletions in type 1 diabetes. *Hum. Mol. Genet.* 24, 1774–1790 (2015).
- Dieckmann NMG, Hackmann Y, Aricò M & Griffiths GM. Munc18-2 is required for syntaxin 11 Localization on the plasma membrane in cytotoxic T-lymphocytes. *Traffic* doi:10.1111/tra.12337 (2015).
- Dopico XC *et al.* Widespread seasonal gene expression reveals annual differences in human immunity and physiology. *Nature Comm.* 6, 7000 (2015).

Dunphy SE, Guinan KJ, Chorcora CN, Jayaraman J, Traherne JA, Trowsdale J, Pende D, Middleton D & Gardiner CM. 2DL1, 2DL2 and 2DL3 all contribute to KIR phenotype variability on human NK cells. *Genes Immunity* 16, 301–310 (2015).

Egan ES, Jiang RH, Moechtar MA, Barteneva NS, Weekes MP, Nobre LV & Duraisingh MT. Malaria. A forward genetic screen identifies erythrocyte CD55 as essential for *Plasmodium falciparum* invasion. *Science* 348, 711–714 (2015).

Ejlertskov P *et al.* Lack of neuronal IFN- β -IFNAR causes Lewy Body- and Parkinson's Disease-like dementia. *Cell* 163, 324–339 (2015).

Ferreira RC *et al.* IL-21 production by CD4⁺ effector T cells and frequency of circulating follicular helper T cells are increased in type 1 diabetes patients. *Diabetologia* 58, 781–790 (2015).

Fitzgerald TW *et al.* Large-scale discovery of novel genetic causes of developmental disorders. *Nature* 519, 223–228 (2015).

Fletcher AJ, Christensen DE, Nelson C, Tan CP, Schaller T, Lehner PJ, & Towers GJ. TRIM5 α requires Ube2W to anchor Lys63-linked ubiquitin chains and restrict reverse transcription. *EMBO J.* 34, 2078–2095 (2015).

Flint SM, McKinney EF & Smith KG. Emerging concepts in the pathogenesis of antineutrophil cytoplasmic antibody-associated vasculitis. *Curr. Opin Rheumatol.* 27, 197–203 (2015).

Flint SM, McKinney EF, Lyons PA & Smith KG. The contribution of transcriptomics to biomarker development in systemic vasculitis and SLE. *Curr. Pharm. Des.* 21, 2225–2235 (2015).

Floto RA & Haworth CS. The growing threat of nontuberculous mycobacteria in CF. *J. Cyst. Fibros.* 14, 1–2 (2015).

Fortune MD, Guo H, Burren O, Schofield E, Walker NM, Ban M, Sawcer SJ, Bowes J, Worthington J, Barton A, Eyre S, Todd JA & Wallace C. Statistical colocalization of genetic risk variants for related autoimmune diseases in the context of common controls. *Nature Genet.* 47, 839–846 (2015). Corrigendum: 47, 962 (2015).

Frake RA, Ricketts T, Menzies FM & Rubinsztein DC. Autophagy and neurodegeneration. *J. Clin. Invest.* 125, 65–74 (2015).

Fraser, H. I., Howlett, S., Clark, J., Rainbow, D. B., Stanford, S. M., Wu, D. J., Wicker, L. S. Ptpn22 and Cd2 Variations Are Associated with Altered Protein Expression and Susceptibility to Type 1 Diabetes in Nonobese Diabetic Mice.. *J Immunol*, 195, 4841-4852 (2015).

Galluzzi L *et al.* Essential versus accessory aspects of cell death: Recommendations of the NCCD 2015. *Cell Death Diff.* 22, 58–73 (2015).

Galluzzi L *et al.* Autophagy in malignant transformation and cancer progression. *EMBO J.* 34, 856–880 (2015).

Ghani M *et al.* Mutation analysis of patients with neurodegenerative disorders using NeuroX array. *Neurobiol Aging* 36, 545.e9-545.14 (2015).

Grice GL, Lobb IT, Weekes MP, Gygi SP, Antrobus R & Nathan JA. The Proteasome Distinguishes between Heterotypic and Homotypic Lysine-11-Linked Polyubiquitin Chains. *Cell Rep.* 12, 545–553 (2015).

Grozeva D, Carss K, Spasic-Boskovic O, Tejada MI, Gecz J, Shaw M & Raymond FL. Targeted Next-Generation Sequencing Analysis of 1,000 Individuals with Intellectual Disability. *Hum. Mutat.* 36, 1197–1204 (2015).

Guo H, Fortune MD, Burren OS, Schofield E, Todd JA & Wallace C. Integration of disease association and eQTL data using a Bayesian colocalisation approach highlights six candidate causal genes in immune-mediated diseases. *Hum. Mol. Genet.* 24, 3305–3313 (2015).

Halliday M *et al.* Partial restoration of protein synthesis rates by the small molecule ISRIB prevents neurodegeneration without pancreatic toxicity. *Cell Death Dis.* 6, e1672 (2015).

Hensiek A, Kirker S & Reid E. Diagnosis, investigation and management of hereditary spastic paraplegias in the era of next-generation sequencing. *J. Neurol.* 262, 1601–1612 (2015).

Hermann C, Trowsdale J & Boyle LH. TAPBPR: a new player in the MHC class I presentation pathway. *Tissue Antigens* 85, 155–166 (2015).

Hermann C, van Hateren A, Trautwein N, Neerincx A, Duriez PJ, Stevanović S, Trowsdale J, Deane JE, Elliott T & Boyle LH. TAPBPR alters MHC class I peptide presentation by functioning as a peptide exchange catalyst. *Elife* 4 doi:10.7554/eLife.09617 (2015).

Hexter A *et al.* Clinical and molecular predictors of mortality in neurofibromatosis 2: a UK national analysis of 1192 patients. *J. Med. Genet.* 52, 699–705 (2015).

Heywood J *et al.* Effective recruitment of participants to a phase I study using the internet and publicity releases through charities and patient organisations: analysis of the adaptive study of IL-2 dose on regulatory T cells in type 1 diabetes (DILT1D). *Trials* 16, 583 (2015).

Hill CH, Read RJ & Deane JE. Structure of human saposin A at lysosomal pH. *Acta Crystallogr. F Struct. Biol. Commun.* 71, 895–900 (2015).

Hill CH, Viuff AH, Spratley SJ, Salamone S, Christensen SH, Read RJ & Deane JE. Azasugar inhibitors as pharmacological chaperones for Krabbe disease. *Chem. Sci.* 6, 3075–3086 (2015).

Hirst J, Edgar JR, Borner GH, Li S, Sahlender DA, Antrobus R & Robinson MS. Contributions of epsinR and gadkin to clathrin-mediated intracellular trafficking. *Mol. Biol. Cell* 26, 3085–3103 (2015).

Hirst J *et al.* Loss of AP-5 results in accumulation of aberrant endolysosomes: defining a new type of lysosomal storage disease. *Hum. Mol. Genet.* 24, 4984–4996 (2015).

Hsu JL, van den Boomen DJ, Tomasec P, Weekes MP, Antrobus R, Stanton RJ & Lehner PJ. Plasma membrane profiling defines an expanded class of cell surface proteins selectively targeted for degradation by HCMV US2 in cooperation with UL141. *PLoS Pathog.* 11, e1004811 (2015).

Hu X *et al.* Additive and interaction effects at three amino acid positions in HLA-DQ and HLA-DR molecules drive type 1 diabetes risk. *Nature Genet.* 47, 898–905 (2015).

Huang J *et al.* Improved imputation of low-frequency and rare variants using the UK10K haplotype reference panel. *Nature Comm.* 6, 8111 (2015).

Hydes TJ, Moesker B, Traherne JA, Ashraf S, Alexander GJ, Dimitrov BD, Woelk CH, Trowsdale J & Khakoo SI. The interaction of genetic determinants in the outcome of HCV infection: evidence for discrete immunological pathways. *Tissue Antigens* 86, 267–275 (2015).

Jackson RN, McCoy AJ, Terwilliger TC, Read RJ & Wiedenheft B. X-ray structure determination using low-resolution electron microscopy maps for molecular replacement. *Nature Protoc.* 10, 1275–1284 (2015).

Jimenez-Sanchez M & Rubinsztein DC. Huntington's disease — the sting in the tail. *EMBO J.* 34, 2215–2216 (2015).

Jimenez-Sanchez M, Lam W, Hannus M, Sönnichsen B, Imarisio S, Fleming A & Rubinsztein DC. SiRNA screen identifies QPCT as a druggable target for Huntington's disease. *Nature Chemical Biol.* 11, 347–354 (2015).

Jones L *et al.* Convergent genetic and expression data implicate immunity in Alzheimer's disease. *Alzheimer's and Dementia* 11, 658–671 (2015).

Kaiser VB *et al.* Homozygous loss-of-function variants in European cosmopolitan and isolate populations. *Hum. Mol. Genet.* 24, 5464–5474 (2015).

Konno T, Pinho Melo E, Lopes C, Mehmeti I, Lenzen S, Ron D & Avezov E. ERO1-independent production of H₂O₂ within the endoplasmic reticulum fuels Prdx4-mediated oxidative protein folding. *J. Cell Biol.* 211, 253–259 (2015).

Kourtis M, Ikonomidou G, Giakoumakis NN, Rapsomaniki MA, Landegren U, Siniouoglou S & Mylonis I. CK1 δ restrains lipin-1 induction, lipid droplet formation and cell proliferation under hypoxia by reducing HIF-1 α /ARNT complex formation. *Cellular Signalling* 27, 1129–1140 (2015).

Levine AP, Connor TM, Oygar DD, Neild GH, Segal AW, Maxwell PH & Gale DP. Combinatorial Conflicting Homozygosity (CCH) analysis enables the rapid identification of shared genomic regions in the presence of multiple phenocopies. *BMC Genomics* 16, 1360 (2015).

Lewin A, Saadi H, Peters JE, Moreno-Moral A, Lee JC, Smith KG & Richardson S. MT-HESS: an efficient Bayesian approach for simultaneous association detection in OMICS datasets, with application to eQTL mapping in multiple tissues. *Bioinformatics* doi:10.1093/bioinformatics/btv568 (2015).

Lewis MJ, Vyse S, Shields AM, Boeltz S, Gordon PA, Spector TD, Lehner PJ, Walczak H & Vyse TJ. UBE2L3 polymorphism amplifies NF- κ B activation and promotes plasma cell development, linking linear ubiquitination to multiple autoimmune diseases. *Am. J. Hum. Genet.* 96, 221–234 (2015).

Liley J & Wallace C. A pleiotropy-informed Bayesian false discovery rate adapted to a shared control design finds new disease associations from GWAS summary statistics. *PLoS Genet.* 11, e1004926 (2015).

Lin F, Ghislat G, Luo S, Renna M, Siddiqi F & Rubinsztein DC. XIAP and cIAP1 amplifications induce Beclin 1-dependent autophagy through NF κ B activation. *Hum. Mol. Genet.* 24, 2899–2913 (2015).

Lourenco S, Teixeira VH, Kalber T, Jose RJ, Floto RA & Janes SM. Macrophage migration inhibitory factor-CXCR4 is the dominant chemotactic axis in human mesenchymal stem cell recruitment to tumors. *J. Immunol.* 194, 3463–3474 (2015).

Mallett A *et al.* The T616C tRNA(Phe) mutation causes mitochondrially inherited tubulointerstitial kidney disease. *Nephrology* 20, 41 (2015).

Matheson NJ, Sumner J, Wals K, Rapiteanu R, Weekes MP, Vigan R & Lehner PJ. Cell surface proteomic map of HIV infection reveals antagonism of amino acid metabolism by Vpu and Nef. *Cell Host Microbe* 18, 409–423 (2015).

McDowell MA *et al.* Characterisation of Shigella Spa33 and Thermotoga FliM/N reveals a new model for C-ring assembly in T3SS. *Mol. Microbiol.* doi:10.1111/mmi.13267 (2015).

McKinney EF, Lee JC, Jayne DR, Lyons PA & Smith KG. T-cell exhaustion, co-stimulation and clinical outcome in autoimmunity and infection. *Nature* 523, 612–616 (2015).

Menzies FM, Fleming A & Rubinsztein DC. Compromised autophagy and neurodegenerative diseases. *Nature Rev. Neurosci.* 16, 345–357 (2015).

Menzies FM, Garcia-Arencibia M, Imarisio S, O'Sullivan NC, Ricketts T, Kent BA & Rubinsztein DC. Calpain inhibition mediates autophagy-dependent protection against polyglutamine toxicity. *Cell Death Diff.* 22, 433–444 (2015).

Miller SE *et al.* CALM regulates clathrin-coated vesicle size and maturation by directly sensing and driving membrane curvature. *Dev. Cell* 33, 163–175 (2015).

Moreau K, Ghislat G, Hochfeld W, Renna M, Zavodszky E, Runwal G & Rubinsztein DC. Transcriptional regulation of Annexin A2 promotes starvation-induced autophagy. *Nature Commun.* 6, 8045 (2015).

Moreau K, Puri C & Rubinsztein DC. Methods to analyze SNARE-dependent vesicular fusion events that regulate autophagosome biogenesis. *Methods* 75, 19–24 (2015).

Moreau P, Moreau K, Segarra A, Tourbiez D, Travers MA, Rubinsztein DC & Renault T. Autophagy plays an important role in protecting Pacific oysters from OsHV-1 and *Vibrio aestuarianus* infections. *Autophagy* 11, 516–526 (2015).

Moriconi C *et al.* Interactions between N-linked glycosylation and polymerisation of neuroserpin within the endoplasmic reticulum. *FEBS J.* doi:10.1111/febs.13517 (2015).

Mukadam AS & Seaman MN. Retromer-mediated endosomal protein sorting: the role of unstructured domains. *FEBS Lett.* 589, 2620–2626 (2015).

Murakami T *et al.* ALS/FTD mutation-induced phase transition of FUS liquid droplets and reversible hydrogels into irreversible hydrogels impairs RNP granule function. *Neuron* 88, 678–690 (2015).

Nahorski MS, Al-Gazali L, Hertecant J, Owen DJ, Borner GH, Chen YC & Woods CG. A novel disorder reveals clathrin heavy chain-22 is essential for human pain and touch development. *Brain* 138, 2147–2160 (2015).

Nakimuli A *et al.* A KIR B centromeric region present in Africans but not Europeans protects pregnant women from pre-eclampsia. *Proc. Natl Acad. Sci. USA* 112, 845–850 (2015).

Naville M *et al.* Long-range evolutionary constraints reveal cis-regulatory interactions on the human X chromosome. *Nature Commun.* 6, 6904 (2015).

Nikolić MZ, Lok LS, Mattishent K, Barth S, Yung B, Cummings NM & Marciniak SJ. Noninterventional statistical comparison of BTS and CHEST guidelines for size and severity in primary pneumothorax. *Eur. Respir. J.* 45, 1731–1734 (2015).

Onengut-Gumuscu S *et al.* Fine mapping of type 1 diabetes susceptibility loci and evidence for colocalization of causal variants with lymphoid gene enhancers. *Nature Genet.* 47, 381–386 (2015).

Ordóñez A, Pérez J, Tan L, Dickens JA, Motamedi-Shad N, Irving JA, Haq I, Ekeowa U, Marciniak SJ, Miranda E & Lomas DA. A single-chain variable fragment intrabody prevents intracellular polymerization of Z α 1-antitrypsin while allowing its antiprotease activity. *FASEB J.* 29, 2667–2678 (2015).

Panagea T, Pincus DH, Grogono D, Jones M, Bryant J, Parkhill J, Floto RA & Gilligan P. *Mycobacterium abscessus* complex identification with matrix-assisted laser desorption ionization-time of flight mass spectrometry. *J. Clin. Microbiol.* 53, 2355–2358 (2015).

Park SJ *et al.* Heterogeneous nuclear ribonucleoprotein A1 post-transcriptionally regulates Drp1 expression in neuroblastoma cells. *Biochim. Biophys. Acta* 1849, 1423–1431 (2015).

Parkins MD & Floto RA. Emerging bacterial pathogens and changing concepts of bacterial pathogenesis in cystic fibrosis. *J. Cyst. Fibros.* 14, 293–304 (2015).

Parkinson MD, Piper SC, Bright NA, Evans JL, Boname JM, Bowers K, Lehner PJ & Luzio JP. A non-canonical ESCRT pathway, including histidine domain phosphotyrosine phosphatase (HD-PTP), is used for down-regulation of virally ubiquitinated MHC class I. *Biochem J.* 471, 79–88 (2015).

Radjabova V *et al.* TARM1 is a novel leukocyte receptor complex-encoded ITAM receptor that costimulates proinflammatory cytokine secretion by macrophages and neutrophils. *J. Immunol.* 195, 3149–3159 (2015).

Rainbow DB *et al.* Epigenetic analysis of regulatory T cells using multiplex bisulfite sequencing. *Eur. J. Immunol.* doi:10.1002/eji.201545646 (2015).

Rhodes DA, Chen HC, Price AJ, Keeble AH, Davey MS, James LC, Eberl M & Trowsdale J. Activation of human $\gamma\delta$ T cells by cytosolic interactions of BTN3A1 with soluble phosphoantigens and the cytoskeletal adaptor periplakin. *J. Immunol.* 194, 2390–2398 (2015).

Rintoul RC *et al.* Mesobank UK: an international mesothelioma bioresource. *Thorax* doi:10.1136/thoraxjnl-2015-207496 (2015).

Ritter AT, Asano Y, Stinchcombe JC, Dieckmann NM, Chen BC, Gawden-Bone C & Griffiths GM. Actin depletion initiates events leading to granule secretion at the immunological synapse. *Immunity* 42, 864–876 (2015).

Robinson MS. Forty years of clathrin-coated vesicles. *Traffic* doi:10.1111/tra.12335 (2015).

Rovelet-Lecrux A *et al.* De novo deleterious genetic variations target a biological network centered on A β peptide in early-onset Alzheimer disease. *Mol. Psychiatry* 20, 1046–1056 (2015).

Rubinsztein DC. Cell biology: receptors for selective recycling. *Nature* 522, 291–292 (2015).

Rubinsztein DC, Bento CF & Deretic V. Therapeutic targeting of autophagy in neurodegenerative and infectious diseases. *J. Exp. Med.* 212, 979–990 (2015).

Sali A *et al.* Outcome of the first wwPDB hybrid/integrative methods task force workshop. *Structure* 23, 1156–1167 (2015).

Schiebler M *et al.* Functional drug screening reveals anticonvulsants as enhancers of mTOR-independent autophagic killing of *Mycobacterium tuberculosis* through inositol depletion. *EMBO Mol. Med.* 7, 127–139 (2015).

Schmidts M *et al.* TCTEX1D2 mutations underlie Jeune asphyxiating thoracic dystrophy with impaired retrograde intraflagellar transport. *Nature Comm.* 6, 7074 (2015).

Sekine Y, Zyryanova A, Crespillo-Casado A, Fischer PM, Harding HP & Ron D. Stress responses. Mutations in a translation initiation factor identify the target of a memory-enhancing compound. *Science* 348, 1027–1030 (2015).

Shaheen R *et al.* A founder CEP120 mutation in Jeune asphyxiating thoracic dystrophy expands the role of centriolar proteins in skeletal ciliopathies. *Hum. Mol. Genet.* 24, 1410–1419 (2015).

Sliwiak J, Dauter Z, Kowiel M, McCoy AJ, Read RJ & Jaskolski M. ANS complex of St John's wort PR-10 protein with 28 copies in the asymmetric unit: a fiendish combination of pseudosymmetry with tetartohedral twinning. *Acta Crystallogr. D Biol. Crystallogr.* 71, 829–843 (2015).

Sorrell SL, Golder ZJ, Johnstone DB & Karet Frankl FE. Renal peroxiredoxin 6 interacts with anion exchanger 1 and plays a novel role in pH homeostasis. *Kidney Int.* doi:10.1038/ki.2015.277 (2015).

Stewart AP, Sandford RN, Karet Frankl FE & Edwardson JM. Pathogenic uromodulin mutations result in premature intracellular polymerization. *FEBS Lett.* 589, 89–93 (2015).

Stinchcombe JC, Randzavola L, Angus KL, Mantell JM, Verkade P & Griffiths GM. Mother Centriole Distal Appendages Mediate Centrosome Docking at the Immunological Synapse and Reveal Mechanistic Parallels with Ciliogenesis. *Current Biol.* 25, 3239–3244 (2015).

Su Y, Al-Lamki RS, Blake-Palmer KG, Best A, Golder ZJ, Zhou A & Karet Frankl FE. Physical and functional links between anion exchanger-1 and sodium pump. *J. Am. Soc. Nephrol.* 26, 400–409 (2015).

Takatani R *et al.* Analysis of multiple families with single individuals affected by Pseudohypoparathyroidism Type 1b (PHP1B) reveals only one novel maternally inherited GNAS deletion. *J. Bone Miner. Res.* doi:10.1002/jbmr.2731 (2015).

Tan L *et al.* Characterising the association of latency with $\alpha(1)$ -antitrypsin polymerisation using a novel monoclonal antibody. *Int. J. Biochem. Cell. Biol.* 58, 81–91 (2015).

Tarlinton DM & Smith KG. How many memories does it take to make an SLE flare? *Nature Immunol.* 16, 685–687 (2015).

Taylor PN *et al.* Whole-genome sequence-based analysis of thyroid function. *Nature Commun.* 6, 5681 (2015).

Tchasovnikarova IA, Timms RT, Matheson NJ, Wals K, Antrobus R, Göttgens B & Lehner PJ. Gene silencing. Epigenetic silencing by the HUSH complex mediates position-effect variegation in human cells. *Science* 348, 1481–1485 (2015).

Teo AE *et al.* Pregnancy, primary aldosteronism, and adrenal CTNNB1 mutations. *N. Engl. J. Med.* 373, 1429–1436 (2015).

- Traherne JA, Jiang W, Valdes AM, Hollenbach JA, Jayaraman J, Lane JA, Johnson C, Trowsdale J & Noble JA. KIR haplotypes are associated with late-onset type 1 diabetes in European-American families. *Genes Immun.* doi:10.1038/gene.2015.44 (2015).
- Trowsdale J, Jones DC, Barrow AD & Traherne JA. Surveillance of cell and tissue perturbation by receptors in the LRC. *Immunol. Rev.* 267, 117–136 (2015).
- Tumbarello DA, Manna PT, Allen M, Bycroft M, Arden SD, Kendrick-Jones J & Buss F. The autophagy receptor TAX1BP1 and the molecular motor myosin VI are required for clearance of *Salmonella Typhimurium* by autophagy. *PLoS Pathog.* 11, e1005174 (2015).
- van den Boomen DJ & Lehner PJ. Identifying the ERAD ubiquitin E3 ligases for viral and cellular targeting of MHC class I. *Mol. Immunol.* 68, 106–111 (2015).
- van 't Wout EF, van Schadewijk A, van Boxtel R, Dalton LE, Clarke HJ, Tommassen J, Marciniak SJ & Hiemstra PS. Virulence factors of *Pseudomonas aeruginosa* induce both the unfolded protein and integrated stress responses in airway epithelial cells. *PLoS Pathog.* 11, e1004946 (2015).
- van't Wout EF, van Schadewijk A, Lomas DA, Stolk J, Marciniak SJ & Hiemstra PS. Function of monocytes and monocyte-derived macrophages in α 1-antitrypsin deficiency. *Eur. Respir. J.* 45, 365–376 (2015).
- Vicinanza M, Korolchuk VI, Ashkenazi A, Puri C, Menzies FM, Clarke JH & Rubinsztein DC. PI(5)P regulates autophagosome biogenesis. *Mol. Cell* 57, 219–234 (2015).
- Volmer R & Ron D. Lipid-dependent regulation of the unfolded protein response. *Curr. Opin Cell Biol.* 33, 67–73 (2015).
- Vukcevic D *et al.* Imputation of KIR types from SNP variation data. *Am. J. Hum. Genet.* 97, 593–607 (2015).
- Vulto-van Silfhout AT *et al.* Variants in CUL4B are associated with cerebral malformations. *Hum. Mutat.* 36, 106–117 (2015).
- Wallace C *et al.* Dissection of a Complex Disease Susceptibility Region Using a Bayesian Stochastic Search Approach to Fine Mapping. *PLoS Genet.* 11, e1005272 (2015).
- Walter K *et al.* The UK10K project identifies rare variants in health and disease. *Nature* 526, 82–89 (2015).
- Wartosch L, Bright NA & Luzio JP. Quick Guide: lysosomes. *Curr. Biol.* 25, R315–R316 (2015).
- Wartosch L, Günesdogan U, Graham SC & Luzio JP. Recruitment of VPS33A to HOPS by VPS16 is required for lysosome fusion with endosomes and autophagosomes. *Traffic* 16, 727–742 (2015).
- Weis F, Giudice E, Churcher M, Jin L, Hilcenko C, Wong CC, Traynor D, Kay RR & Warren AJ. Mechanism of eIF6 release from the nascent 60S ribosomal subunit. *Nature Struct. Mol. Biol.* doi:10.1038/nsmb.3112 (2015).
- Wheway G *et al.* An siRNA-based functional genomics screen for the identification of regulators of ciliogenesis and ciliopathy genes. *Nature Cell Biol.* 17, 1074–1087 (2015).

Wilkinson GWG, Davison AJ, Tomasec P, Fielding CA, Aicheler R, Murrell I, Seirafian S, Wang ECY, Weekes M, Lehner PJ, Wilkie GS & Stanton RJ. Human cytomegalovirus: taking the strain. *Med. Micro. Immunol.* 204, 273–284 (2015).

Woods CG, Babiker MO, Horrocks I, Tolmie J & Kurth I. The phenotype of congenital insensitivity to pain due to the NaV1.9 variant p.L811P. *Eur. J. Hum. Genet.* 23, 561–563 (2015).

Yang JH *et al.* Natural variation in interleukin-2 sensitivity influences regulatory T-Cell frequency and function in individuals with long-standing type 1 diabetes. *Diabetes* 64, 3891–3902 (2015).

Zhang Y, Persson S, Hirst J, Robinson MS, van Damme D & Sánchez-Rodríguez C. Change your Tplate, change your fate: plant CME and beyond. *Trends Plant Sci.* 20, 41-48 (2015).