

Adams PD et al. Outcome of the first wwPDB/CCDC/D3R ligand validation workshop. *Structure* 24, 502–508 (2016).

Adams PM et al. Assessment of the genetic variance of late-onset Alzheimer's disease. *Neurobiology of Aging* 41, 200.e13-200.e20 (2016).

Adams TE & Huntington JA. Structural transitions during prothrombin activation: on the importance of fragment 2. *Biochimie* 122, 235–242 (2016).

Al-Lamki RS et al. Tumor necrosis factor receptor 2-signaling in CD133-expressing cells in renal clear cell carcinoma. *Oncotarget* doi:10.18632/oncotarget.8125 (2016).

Ammann S et al. Mutations in AP3D1 associated with immunodeficiency and seizures define a new type of Hermansky-Pudlak syndrome. *Blood* 127, 997–1006 (2016).

Arden SD, Tumbarello DA, Butt T, Kendrick-Jones J & Buss F. Loss of cargo binding in the human myosin VI deafness mutant (R1166X) leads to increased actin filament binding. *Biochem J.* 473, 3307–3319 (2016).

Arno G et al. Mutations in REEP6 cause autosomal-recessive retinitis pigmentosa. *Am. J. Hum. Genet.* 99, 1305–1315 (2016).

Arno G et al. Reevaluation of the retinal dystrophy due to recessive alleles of RGR with the discovery of a cis-acting mutation in CDHR1. *Invest. Ophthalmol. Vis. Sci.* 57, 4806–4813 (2016).

Astuti GDN et al. Mutations in AGLB5, encoding α -tubulin deglutamylase, are associated with autosomal recessive retinitis pigmentosa. *Invest. Ophthalmol. Vis. Sci.* 57, 6180–6187 (2016).

Bacchelli C et al. Mutations in linker for activation of T cells (LAT) lead to a novel form of severe combined immunodeficiency. *J. Allergy Clin. Immunol.* doi: 10.1016/j.jaci.2016.05.036 (2016).

Baglin TP, Langdown J, Frasson R & Huntington, JA. Discovery and characterization of an antibody directed against exosite I of thrombin. *J. Thromb. Haemost.* 14, 137–142 (2016).

Barbosa AD & Siniosoglou S. Spatial distribution of lipid droplets during starvation: implications for lipophagy. *Commun. Integr. Biol.* 9, e1183854 (2016).

Bento CF, Ashkenazi A, Jimenez-Sanchez M & Rubinsztein DC. The Parkinson's disease-associated genes ATP13A2 and SYT11 regulate autophagy via a common pathway. *Nature Commun.* 7, 11803 (2016).

Bento CF, Renna M, Ghislat G, Puri C, Ashkenazi A, Vicinanza M & Rubinsztein DC. Mammalian autophagy: how does it work? *Annu. Rev. Biochem.* 85, 685–713 (2016).

Bianciardi L et al. MECP2 missense mutations outside the canonical MBD and TRD domains in males with intellectual disability. *J. Hum. Genet.* 61, 95–101 (2016).

Boldt K, Van Reeuwijk J, Lu Q, Koutroumpas K, Nguyen TMT, Texier Y & Ueffing M. An organelle-specific protein landscape identifies novel diseases and molecular mechanisms. *Nature Comm.* 7, doi:10.1038/ncomms11491 (2016).

Bright NA, Davis LJ & Luzio JP. Endolysosomes are the principal intracellular sites of acid hydrolase activity. *Curr. Biol.* 26, 2233–2245 (2016).

Burr SP et al. Mitochondrial protein lipoylation and the 2-oxoglutarate dehydrogenase complex controls HIF1 α stability in aerobic conditions. *Cell Met.* <http://dx.doi.org/10.1016/j.cmet.2016.09.015> (2016).

Burrows N, Cane G, Robson M, Gaude E, Howat WJ, Szlosarek PW & Maxwell PH. Hypoxia-induced nitric oxide production and tumour perfusion is inhibited by pegylated arginine deiminase (ADI-PEG20). *Sci. Rep.* 6, 22950 (2016).

Cetica V et al. Genetic predisposition to hemophagocytic lymphohistiocytosis: report on 500 patients from the Italian registry. *J. Allergy Clin. Immunol.* 137, 188–196.e4. doi:10.1016/j.jaci.2015.06.048 (2016).

Chang FC et al. Phenotypic insights into ADCY5-associated disease. *Mov. Disord.* 31, 1033–1040 (2016).

Connell JW, Allison R & Reid E. Quantitative gait analysis using a motorized treadmill system sensitively detects motor abnormalities in mice expressing ATPase defective spastin. *PLoS One* 11, e0152413 (2016).

Crisp N et al. Manifesto for a healthy and health-creating society. *Lancet* doi:10.1016/S0140-6736(16)31801-3 (2016).

Curtis D et al. Practical experience of the application of a weighted burden test to whole exome sequence data for obesity and schizophrenia. *Ann. Hum. Genet.* 80, 38–49 (2016).

De Franceschi N et al. Selective integrin endocytosis is driven by interactions between the integrin α -chain and AP2. *Nature Struct. Mol. Biol.* 23, 172–179 (2016).

de la Roche M, Asano Y & Griffiths GM. Origins of the cytolytic synapse. *Nature Rev. Immunol.* 16, 421–432 (2016).

Dennis MK et al. BLOC-1 and BLOC-3 regulate VAMP7 cycling to and from melanosomes via distinct tubular transport carriers. *J. Cell Biol.* 214, 293–308 (2016).

Dias C et al. BCL11A haploinsufficiency causes an intellectual disability syndrome and dysregulates transcription. *Am. J. Hum. Genet.* 99, 253–274 (2016).

Dickens JA et al. The endoplasmic reticulum remains functionally connected by vesicular transport after its fragmentation in cells expressing Z- α 1-antitrypsin. *FASEB J.* 6, doi:10.1096/fj.201600430R (2016).

Dieckmann NMG, Frazer GL, Asano Y, Stinchcombe JC & Griffiths GM. The cytotoxic T lymphocyte immune synapse at a glance. *J. Cell Sci.* 129, 2881–2886 (2016).

Edgar JR, Manna PT, Nishimura S, Banting G & Robinson MS. Tetherin is an exosomal tether. *eLife* 5, e17180 (2016).

Felix J et al. Structural basis of GM-CSF and IL-2 sequestration by the viral decoy receptor GIF. *Nature Comm.* 7, 13228 (2016).

Fra A et al. Polymers of Z α 1-antitrypsin are secreted in cell models of disease. *Eur. Respir. J.* 47, 1005–1009 (2016).

Frazier MN, Davies AK, Voehler M, Kendall AK, Borner GH, Chazin WJ & Jackson LP. Molecular basis for the interaction between AP4 β 4 and its accessory protein, tepsin. *Traffic* 17, 400–415 (2016).

Füllgrabe J, Ghislat G, Cho DH & Rubinsztein DC. Transcriptional regulation of mammalian autophagy at a glance. *J. Cell Sci.* 129, 3059–3066 (2016).

Gale DP et al. A novel COL4A1 frameshift mutation in familial kidney disease: the importance of the C-terminal NC1 domain of type IV collagen. *Nephrol. Dial. Transplant.* doi:10.1093/ndt/gfw051 (2016).

Ghani M, Sato C, Kakhki EG, Gibbs JR, Traynor B, St George-Hyslop P & Rogava E. Mutation analysis of the MS4A and TREM gene clusters in a case-control Alzheimer's disease data set. *Neurobiol Aging* 42, 217. e7-217.e13 (2016).

Golder ZJ & Karet Frankl FE. Extra-renal locations of the α 4 subunit of H(+)ATPase. *BMC Cell Biol.* 17, 27 doi:10.1186/s12860-016-0106-8 (2016).

Greenwood E et al. Temporal proteomic analysis of HIV infection reveals remodeling of the host phosphoproteome by lentiviral Vif variants. *eLife* 5, e18296 (2016).

Grice GL & Nathan JA. The recognition of ubiquitinated proteins by the proteasome. *Cell. Mol. Life Sci.* 73, 3497–3506 (2016).

Guerreiro R et al. Genome-wide analysis of genetic correlation in dementia with Lewy bodies, Parkinson's and Alzheimer's diseases. *Neurobiol Aging* 38, 214.e7-214.10 (2016).

Ho Y, Li X, Jamison, S, Harding HP, McKinnon PJ, Ron D & Lin W. PERK activation promotes medulloblastoma tumorigenesis by attenuating premalignant granule cell precursor apoptosis. *Am. J. Pathol.* 186, 1939–1951 (2016).

Hoare M et al. NOTCH1 mediates a switch between two distinct secretomes during senescence. *Nature Cell Biol.* 18, 979–992 (2016).

Huang X et al. Molecular mechanism of Z α 1-antitrypsin deficiency. *J. Biol. Chem.* 291, 15674–15686 (2016).

Hull S et al. Nonsyndromic retinal dystrophy due to bi-allelic mutations in the ciliary transport gene IFT140. *Invest. Ophthalmol. Vis. Sci.* 57, 1053–1062 (2016).

In K, Zaini MA, Müller C, Warren AJ, von Lindern M & Calkhoven CF. Shwachman-Bodian-Diamond syndrome (SBDS) protein deficiency impairs translation re-initiation from C/EBP α and C/EBP β mRNAs. *Nuc. Acid Res.* doi:10.1093/nar/gkw005 (2016).

lotchkova V et al. Discovery and refinement of genetic loci associated with cardiometabolic risk using dense imputation maps. *Nature Genet.* 48, 1303–1312 (2016).

Iltzovich T, Xi Z, Martinetto H, Chrem-Méndez P, Russo MJ, de Ambrosi B & Surace EI. Analysis of C9orf72 in patients with frontotemporal dementia and amyotrophic lateral sclerosis from Argentina. *Neurobiol. Aging* 40, 192.e13-192.e15 (2016).

Jimenez-Sanchez M, Licitra F, Underwood BR & Rubinsztein DC. Huntington's disease: mechanisms of pathogenesis and therapeutic strategies. *Cold Spring Harb. Perspect. Med.* doi:10.1101/cshperspect.a024240 (2016).

Karniely S, Weekes MP, Antrobus R, Rorbach J, van Haute L, Umrانيا Y & Sinclair JH. Human cytomegalovirus infection upregulates the mitochondrial transcription and translation machineries. *MBio.* 7(2), e00029 doi:10.1128/mBio.00029-16 (2016).

Kelly BT, Graham SC & Owen DJ. Using selenomethionyl derivatives to assign sequence in low-resolution structures of the AP2 clathrin adaptor. *Acta Crystallogr. D Struct. Biol.* 72, 336–345 (2016).

Kendrick-Jones J & Buss F. Editorial overview: myosins in review. *Traffic* 17, 819–821 (2016).

Khan KN et al. Vitamin A deficiency due to bi-allelic mutation of RBP4: there's more to it than meets the eye. *Ophthalmic Genet.* 1–2 doi:10.1080/13816810.2016.1227453 (2016).

Kim JH et al. De novo mutations in SON disrupt RNA splicing of genes essential for brain development and metabolism, causing an intellectual-disability syndrome. *Am. J. Hum. Genet.* 99, 711–719 (2016).

Klionsky DJ et al. Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). *Autophagy* 12, 1–222 (2016). Erratum in 12, 443 (2016).

Kruppa AJ, Kendrick-Jones J & Buss F. Myosins, actin and autophagy. *Traffic* 17, 878–890 (2016).

Larkin H, Costantino S, Seaman MN & Lavoie C. Calnuc function in endosomal sorting of lysosomal receptors. *Traffic* 17, 416–432 (2016).

Laskowski RA et al. Integrating population variation and protein structural analysis to improve clinical interpretation of missense variation: application to the WD40 domain. *Hum. Mol. Genet.* 25, 927–935 (2016).

Li F et al. Dent disease in Chinese children and findings from heterozygous mothers: phenotypic heterogeneity, fetal growth, and 10 novel mutations. *J. Pediatr.* 174, 204–210. e1 (2016).

Liu C et al. A secreted WNT-ligand-binding domain of FZD5 generated by a frameshift mutation causes autosomal dominant coloboma. *Hum. Mol. Genet.* 25, 1382–1391 (2016).

Long J et al. Plasma membrane profiling reveals upregulation of ABCA1 by infected macrophages leading to restriction of mycobacterial growth. *Front. Microbiol.* 7, 1086 (2016).

Ma L et al. Transient Fcho1/2-Eps15/R-AP-2 nanoclusters prime the AP-2 clathrin adaptor for cargo binding. *Dev. Cell* 37, 428–443 (2016).

Marciniak SJ et al. New concepts in alpha-1 antitrypsin deficiency disease mechanisms. *Ann. Am. Thorac. Soc.* 13 Suppl. 4, S289–S296 (2016).

Rintoul RC et al. Mesobank UK: an international mesothelioma bioresource. *Thorax* 71, 380–382 (2016).

Mardones P, Rubinsztein DC & Hetz C. Mystery solved: trehalose kickstarts autophagy by blocking glucose transport. *Sci. Signal.* 9, fs2. doi:10.1126/scisignal.aaf1937 (2016).

Martin CA et al. Mutations in genes encoding condensin complex proteins cause microcephaly through decatenation failure at mitosis. *Genes Dev.* 30, 2158–2172 (2016).

Martin JL, Read RJ & Wakatsuki S. Expanding beyond biological crystallography. *Acta Crystallogr. D Struct. Biol.* 72, 1 doi:10.1107/S2059798315023761 (2016).

Masters TA, Kendrick-Jones J & Buss F. Calcium gets myosin VI ready for work. *Proc. Natl Acad. Sci. USA* 113, 2325–2327 (2016).

Masters TA, Kendrick-Jones J & Buss F. Myosins: domain organisation, motor properties, physiological roles and cellular functions. *Handb. Exp. Pharmacol.* 10.1007/164_2016_29 (2016).

Matheson NJ, Greenwood EJ & Lehner PJ. Manipulation of immunometabolism by HIV – accessories to the crime? *Curr. Opin. Virol.* 19, 65–70 (2016).

Mauricio RPM, Jeffries CM, Svergun DI & Deane JE. The *Shigella* virulence factor IcsA relieves N-WASP autoinhibition by displacing the VCA domain. *J. Biol. Chem.* doi:10.1074/jbc.M116.758003 (2016).

Maxwell PH & Eckardt KU. HIF prolyl hydroxylase inhibitors for the treatment of renal anaemia and beyond. *Nature Rev. Nephrol.* 12, 157–168 (2016).

McDowell MA et al. Characterisation of *Shigella* Spa33 and *Thermotoga* FliM/N reveals a new model for C-ring assembly in T3SS. *Mol. Microbiol.* 99, 749–766 (2016).

McKerrell T et al. Development and validation of a comprehensive genomic diagnostic tool for myeloid malignancies. *Blood* 128, e1–e9 (2016).

Mencacci NE et al. De novo mutations in PDE10A cause childhood-onset chorea with bilateral striatal lesions. *Am. J. Hum. Genet.* 98, 763–771 (2016).

Middleton A et al. Attitudes of nearly 7000 health professionals, genomic researchers and publics toward the return of incidental results from sequencing research. *Eur. J. Hum. Genet.* 24, 21–29 (2016).

Miyake M et al. Skeletal muscle-specific eukaryotic translation initiation factor 2 α phosphorylation controls amino acid metabolism and fibroblast growth factor 21-mediated non-cell-autonomous energy metabolism. *FASEB J.* 30, 798–812 (2016).

Montecchiani C et al. ALS5/SPG11/KIAA1840 mutations cause autosomal recessive axonal Charcot-Marie-Tooth disease. *Brain* 139, 73–85 (2016).

Muona M et al. Biallelic variants in UBA5 link dysfunctional UFM1 ubiquitin-like modifier pathway to severe infantile-onset encephalopathy. *Am. J. Hum. Genet.* 99, 683–694 (2016).

Nahorski MS et al. CCDC88A mutations cause PEHO-like syndrome in humans and mouse. *Brain* 139, 1036–1044 (2016).

Nolan K, Kattamuri C, Rankin SA, Read RJ, Zorn AM & Thompson TB. Structure of gremlin-2 in complex with GDF5 gives insight into DAN-family-mediated BMP antagonism. *Cell Rep.* 16, 2077–2086 (2016).

Pavel M & Rubinsztein DC. Mammalian autophagy and the plasma membrane. *FEBS J.* doi:10.1111/febs.13931 (2016).

Pavel M et al. CCT complex restricts neuropathogenic protein aggregation via autophagy. *Nature Comm.* 7, 13821 doi:10.1038/ncomms13821 (2016).

Polderdijk SGI, Adams TE, Ivanciu L, Camire RM, Baglin TP & Huntington JA. Design and characterization of an APC-specific serpin for the treatment of haemophilia. *Blood* doi:10.1182/blood-2016-05-718635 (2016).

Preissler S, Rato C, Perera LA, Saudek V & Ron D. FICD acts bifunctionally to AMPylate and de-AMPylate the endoplasmic reticulum chaperone BiP. *Nature Struct. Mol. Biol.* doi:10.1038/nsmb.3337 (2016).

Rapiteanu R, Davis LJ, Williamson JC, Timms RT, Luzio PJ & Lehner PJ. A genetic screen identifies a critical role for the WDR81- WDR91 complex in the trafficking and degradation of tetherin. *Traffic* 17, 940–958 (2016).

Read RJ & McCoy AJ. A log-likelihood-gain intensity target for crystallographic phasing that accounts for experimental error. *Acta Crystallogr. D Struct. Biol.* 72, 375–387 (2016).

Reijnders MR et al. De novo loss-of-function mutations in USP9X cause a female-specific recognizable syndrome with developmental delay and congenital malformations. *Am. J. Hum. Genet.* 98, 373–381 (2016).

Renna M & Rubinsztein DC. Macroautophagy without LC3 conjugation? *Cell Res.* doi:10.1038/cr.2016.143 (2016).

Riazuddin S et al. Exome sequencing of Pakistani consanguineous families identifies 30 novel candidate genes for recessive intellectual disability. *Mol. Psychiatry* doi: 10.1038/mp.2016.109 (2016).

Robinson CM & Karet Frankl FE. Magnesium lactate in the treatment of Gitelman syndrome: patient-reported outcomes. *Nephrol. Dial. Transplant.* doi:10.1093/ndt/gfw019 (2016).

Rowe ER et al. Conserved amphipathic helices mediate lipid droplet targeting of perilipins 1-3. *J. Biol. Chem.* 291, 6664–6678 (2016).

Rubinsztein DC & Orr HT. Diminishing return for mechanistic therapeutics with neurodegenerative disease duration? There may be a point in the course of a neurodegenerative condition where therapeutics targeting disease-causing mechanisms are futile. *Bioessays* 38, 977–980 (2016).

Rubinsztein DC. Tau toxicity feeds forward in frontotemporal dementia. *Nature Med.* 22, 24–25 (2016).

Scholz CC et al. FIH regulates cellular metabolism through hydroxylation of the deubiquitinase OTUB1. *PLoS Biol.* 14, e1002347 (2016).

Schuurs-Hoeijmakers JH et al. Clinical delineation of the PACS1-related syndrome – report on 19 patients. *Am. J. Med. Genet. A* 170, 670–675 (2016).

Sciacovelli M et al. Fumarate is an epigenetic modifier that elicits epithelial-to-mesenchymal transition. *Nature* 537, 544–547 (2016); correction in 540, 150 (2016).

Sekine Y, Zyryanova A, Crespillo-Casado A, Amin-Wetzel N, Harding HP & Ron D. Paradoxical sensitivity to an integrated stress response blocking mutation in vanishing white matter cells. *PLoS One* 11, e0166278 (2016).

Shaikh SS et al. A comprehensive functional analysis of NTRK1 missense mutations causing hereditary sensory and autonomic neuropathy type IV (HSAN IV). *Hum. Mutat.* doi: 10.1002/humu.23123 (2016).

Sifrim A et al. Distinct genetic architectures for syndromic and nonsyndromic congenital heart defects identified by exome sequencing. *Nature Genet.* 48, 1060–1065 (2016).

Singh T et al. Rare loss-of-function variants in SETD1A are associated with schizophrenia and developmental disorders. *Nature Neurosci.* 19, 571–577 (2016).

Smogavec M et al. Eight further individuals with intellectual disability and epilepsy carrying bi-allelic CNTNAP2 aberrations allow delineation of the mutational and phenotypic spectrum. *J. Med. Genet.* doi:10.1136/jmedgenet-2016-103880 (2016).

Sorrell SL, Golder ZJ, Johnstone DB & Karet Frankl FE. Renal peroxiredoxin 6 interacts with anion exchanger 1 and plays a novel role in pH homeostasis. *Kidney Int.* 89, 105–112 (2016).

Spratley SJ & Deane JE. New therapeutic approaches for Krabbe disease: the potential of pharmacological chaperones. *J. Neurosci. Res.* 94, 1203–1219 (2016).

Spratley SJ, Hill CH, Viuff AH, Edgar JR, Skjødt K & Deane JE. Molecular mechanisms of disease pathogenesis differ in Krabbe disease variants. *Traffic* 17, 908–922 (2016).

Stegen S et al. HIF-1 α promotes glutamine-mediated redox homeostasis and glycogen-dependent bioenergetics to support postimplantation bone cell survival. *Cell Metab.* 23, 265–279 (2016).

Streeter A, Menzies FM & Rubinsztein DC. LC3-II tagging and western blotting for monitoring autophagic activity in mammalian cells. *Methods Mol. Biol.* 1303, 161–170 (2016).

Stritt S et al. A gain-of-function variant in DIAPH1 causes dominant macrothrombocytopenia and hearing loss. *Blood* 127, 2903–2914 (2016).

Sun J et al. A method for analyzing multiple continuous phenotypes in rare variant association studies allowing for flexible correlations in variant effects. *Eur. J. Hum. Genet.* 24, 1344–1351 (2016).

Takatani R et al. Analysis of multiple families with single individuals affected by pseudohypoparathyroidism type 1b (PHP1B) reveals only one novel maternally inherited GNAS deletion. *J. Bone Miner. Res.* 31, 796–805 (2016).

Temprano A et al. Redundant roles of the phosphatidate phosphatase family in triacylglycerol synthesis in human adipocytes. *Diabetologia* 59, 1985–1994 (2016).

Timms RT et al. Genetic dissection of mammalian ERAD through comparative haploid and CRISPR forward genetic screens. *Nature Comm.* 7, 11786 (2016).

Timms RT, Tchasovnikarova IA & Lehner PJ. Position-effect variegation revisited: HUSHing up heterochromatin in human cells. *Bioessays* 38, 333–343 (2016).

Timms RT, Tchasovnikarova IA, Antrobus R, Dougan G & Lehner PJ. ATF7IP-mediated stabilization of the histone methyltransferase SETDB1 is essential for heterochromatin formation by the HUSH complex. *Cell Rep.* 17, 653–659 (2016).

Traylor M et al. Shared genetic contribution to ischaemic stroke and Alzheimer's disease. *Ann. Neurol.* doi:10.1002/ana.24621 (2016).

Turnball ML et al. Role of the B allele of influenza A virus segment 8 in setting mammalian host range and pathogenicity. *J. Virol.* 90, 9263–9284 (2016).

Turro E et al. A dominant gain-of-function mutation in universal tyrosine kinase SRC causes thrombocytopenia, myelofibrosis, bleeding, and bone pathologies. *Sci. Transl. Med.* 8, 328ra30 (2016).

Ulbrich L et al. Autism-associated R451C mutation in neuroligin3 leads to activation of the unfolded protein response in a PC12 Tet-On inducible system. *Biochem. J.* 473, 423–434 (2016).

Vicinanza M & Rubinsztein DC. Mirror image phosphoinositides regulate autophagy. *Mol. Cell Oncol.* 3, e1019974 (2016).

Weiss MS et al. A critical examination of the recently reported crystal structures of the human SMN protein. *Hum. Mol. Genet.* doi:10.1093/hmg/ddw298 (2016).

White RR et al. Ubiquitin-dependent modification of skeletal muscle by the parasitic nematode, *Trichinella spiralis*. *PLoS Pathog.* 12, e1005977 (2016).

Woods CG. Autonomic neurology. *Eur. J. Hum. Genet.* 24, 152 (2016).

Wu X et al. Autophagy regulates Notch degradation and modulates stem cell development and neurogenesis. *Nature Commun.* 7, 10533 (2016).