

Allison R *et al.* Defects in ER-endosome contacts impact lysosome function in hereditary spastic paraplegia. *J. Cell Biol.* 216(5), 1337-1355 (2017).

Aprile FA *et al.* The molecular chaperones DNAJB6 and Hsp70 cooperate to suppress α -synuclein aggregation. *Sci. Rep.* 7(1), 9039 doi:[10.1038/s41598-017-08324-z](https://doi.org/10.1038/s41598-017-08324-z) (2017).

Arno G *et al.* Biallelic mutation of ARHGEF18, involved in the determination of epithelial apicobasal polarity, causes adult-onset retinal degeneration. *Am. J. Hum. Genet.* 100(2), 334-342 (2017).

Ashkenazi A *et al.* Polyglutamine tracts regulate beclin 1-dependent autophagy. *Nature* 545(7652), 108-111 (2017).

Ashkenazi A *et al.* Polyglutamine tracts regulate autophagy. *Autophagy* 13(9), 1613-1614 (2017).

Bacchelli C *et al.* Mutations in linker for activation of T \dagger cells (LAT) lead to a novel form of severe combined immunodeficiency. *J. Allergy Clin. Immunol.* 139(2), 634-642.e5 (2017).

Balasubramanian M *et al.* Compound heterozygous variants in NBAS as a cause of atypical osteogenesis imperfecta. *Bone* 94, 65-74 (2017).

Balasubramanian M *et al.* Chitayat syndrome: hyperphalangism, characteristic facies, hallux valgus and bronchomalacia results from a recurrent c.266A>G p.(Tyr89Cys) variant in the ERF gene. *J. Med. Genet.* 54(3), 157-165 (2017).

Barbosa AD & Siniosoglou S. Function of lipid droplet-organelle interactions in lipid homeostasis. *Biochim. Biophys. Acta.* 1864(9):1459-1468 (2017).

Bathelt J, Barnes J, Raymond FL, Baker K & Astle D. Global and local connectivity differences converge with gene expression in a neurodevelopmental disorder of known genetic origin. *Cereb. Cortex* 27(7), 3806-3817 (2017).

Bengani H *et al.* Clinical and molecular consequences of disease-associated de novo mutations in SATB2. *Genet. Med.* 19(8), 900-908 (2017).

Blanchard A *et al.* Gitelman syndrome: consensus and guidance from a Kidney Disease: Improving Global Outcomes (KDIGO) Controversies Conference. *Kidney Int.* 91(1), 24-33 (2017).

Bosshard M *et al.* Impaired oxidative stress response characterizes HUWE1-promoted X-linked intellectual disability. *Sci. Rep.* 7(1), 15050. doi:[10.1038/s41598-017-15380-y](https://doi.org/10.1038/s41598-017-15380-y) (2017).

Brooks ABE, Humphreys D, Singh V, Davidson AC, Arden SD, Buss F & Koronakis V. MYO6 is targeted by Salmonella virulence effectors to trigger PI3-kinase signaling and pathogen invasion into host cells. *Proc. Natl Acad. Sci. USA* 114(15), 3915-3920 (2017).

Burr ML *et al.* CMTM6 maintains the expression of PD-L1 and regulates anti-tumour immunity. *Nature* 549(7670), 101-105 (2017).

Burrows N & Maxwell PH. Hypoxia and B cells. *Exp. Cell Res.* 356(2), 197-203 (2017).

Carrell RW & Read RJ. How serpins transport hormones and regulate their release. *Semin. Cell Dev. Biol.* 62, 133-141 (2017).

Carss KJ *et al.* Comprehensive rare variant analysis via whole-genome sequencing to determine the molecular pathology of inherited retinal disease. *Am. J. Hum. Genet.* 100(1), 75-90 (2017).

Chavali PL *et al.* Neurodevelopmental protein Musashi-1 interacts with the Zika genome and promotes viral replication. *Science* 357(6346), 83-88 (2017).

Chiu W *et al.* Responses to 'Atomic resolution': a badly abused term in structural biology.. *Acta Crystallogr. D Struct. Biol.* 73(Pt 4), 381-383. doi:[10.1107/S205979831700417X](https://doi.org/10.1107/S205979831700417X) (2017).

Clements DR *et al.* Quantitative temporal in vivo proteomics deciphers the transition of virus-driven myeloid cells into M2 macrophages. *J. Proteome Res.* 16(9), 3391-3406 (2017).

Connor TM *et al.* Mutations in mitochondrial DNA causing tubulointerstitial kidney disease. *PLoS Genet.* 13(3), e1006620 (2017).

Crespillo-Casado A, Chambers JE, Fischer PM, Marciniak SJ & Ron D. PPP1R15A-mediated dephosphorylation of eIF2 α is unaffected by Sephin1 or Guanabenz. *eLife* 6, doi:[10.7554/eLife.26109](https://doi.org/10.7554/eLife.26109) (2017).

Dacks JB & Robinson MS. Outerwear through the ages: evolutionary cell biology of vesicle coats. *Curr. Opin. Cell Biol.* 47, 108-116 (2017).

Dankwa S *et al.* Genetic evidence for erythrocyte receptor glycoporphin B expression levels defining a dominant Plasmodium falciparum invasion pathway into human erythrocytes. *Infect. Immun.* 85(10). doi:[10.1128/IAI.00074-17](https://doi.org/10.1128/IAI.00074-17) (2017).

Danti FR *et al.* GNAO1 encephalopathy: Broadening the phenotype and evaluating treatment and outcome. *Neurol. Genet.* 3(2), e143. doi:[10.1212/NXG.000000000000143](https://doi.org/10.1212/NXG.000000000000143) (2017).

De Angelis Rigotti F *et al.* MARCH9-mediated ubiquitination regulates MHC I export from the TGN. *Immunol. Cell Biol.* 95(9), 753-764. doi:[10.1038/icb.2017.44](https://doi.org/10.1038/icb.2017.44) (2017).

Deciphering Developmental Disorders Study. Prevalence and architecture of de novo mutations in developmental disorders. *Nature* 542(7642), 433-438 (2017).

Demydchuk M *et al.* Insights into Hunter syndrome from the structure of iduronate-2-sulfatase. *Nature Comm.* 8, 15786. doi:[10.1038/ncomms15786](https://doi.org/10.1038/ncomms15786) (2017).

Depienne C *et al.* Genetic and phenotypic dissection of 1q43q44 microdeletion syndrome and neurodevelopmental phenotypes associated with mutations in ZBTB18 and HNRNPU. *Hum. Genet.* 136(4), 463-479 (2017).

Dore AS, Bortolato A, Hollenstein K, Cheng RKY, Read RJ & Marshall FH. Decoding corticotropin-releasing factor receptor type 1 crystal structures. *Curr. Mol. Pharmacol.* 10(4), 334-344 (2017).

El-Damanawi R, Harris T, Sandford RN, Karet Frankl FE & Hiemstra TF. Patient survey of current water intake practices in autosomal dominant polycystic kidney disease: the SIPs survey. *Clin. Kidney J.* 10(3), 305-309 (2017).

Ersing I *et al.* A temporal proteomic map of Epstein-Barr virus lytic replication in B Cells. *Cell Rep.* 19(7), 1479-1493 (2017).

Fielding CA *et al.* Control of immune ligands by members of a cytomegalovirus gene expansion suppresses natural killer cell activation. *eLife* 6, doi:[10.7554/eLife.22206](https://doi.org/10.7554/eLife.22206) (2017).

Frazer GL, Asano Y & Griffiths GM. Imaging the effector CD8 synapse. *Methods Mol. Biol.* 1584, 473-486 (2017).

Futema M *et al.* Screening for familial hypercholesterolaemia in childhood: Avon Longitudinal Study of Parents and Children (ALSPAC). *Atherosclerosis* 260, 47-55 (2017).

Galluzzi L *et al.* Molecular definitions of autophagy and related processes. *EMBO J.* 36(13), 1811-1836 (2017).

Gracia T *et al.* Urinary exosomes contain microRNAs capable of paracrine modulation of tubular transporters in kidney. *Sci. Rep.* 7, 40601 (2017).

Hall EA *et al.* PLAA mutations cause a lethal infantile epileptic encephalopathy by disrupting ubiquitin-mediated endolysosomal degradation of synaptic proteins. *Am. J. Hum. Genet.* 100(5), 706-724 (2017).

Hendricks AE *et al.* Rare variant analysis of human and rodent obesity genes in individuals with severe childhood obesity. *Sci. Rep.* 7(1), 4394. doi:[10.1038/s41598-017-03054-8](https://doi.org/10.1038/s41598-017-03054-8) (2017).

Huang H-W, Zeng X, Rhim T, Ron D & Ryoo HD. The requirement of IRE1 and XBP1 in resolving physiological stress during Drosophila development. *J. Cell Sci.* 130(18), 3040-3049 (2017).

Hull S *et al.* Clinical characterization of CNGB1-related autosomal recessive retinitis pigmentosa. *JAMA Ophthalmol.* doi:[10.1001/jamaophthalmol.2016.5213](https://doi.org/10.1001/jamaophthalmol.2016.5213) (2017).

Itzhak DN *et al.* A mass spectrometry-based approach for mapping protein subcellular localization reveals the spatial proteome of mouse primary neurons. *Cell Rep.* 20(11), 2706-2718 (2017).

Jimenez-Sanchez M, Licitra F, Underwood BR & Rubinsztein DC. Huntington's disease: mechanisms of pathogenesis and therapeutic strategies. *Cold Spring Harb. Perspect. Med.* 7(7). doi:[10.1101/cshperspect.a024240](https://doi.org/10.1101/cshperspect.a024240) (2017).

Kanjee U *et al.* CRISPR/Cas9 knockouts reveal genetic interaction between strain-transcendent erythrocyte determinants of Plasmodium falciparum invasion. *Proc. Natl Acad. Sci. USA* 114(44), E9356-E9365 (2017).

Kapnick SM, Stinchcombe JC, Griffiths GM & Schwartzberg PL. Inducible T cell kinase regulates the acquisition of cytolytic capacity and degranulation in CD8+ CTLs. *J. Immunol.* 198(7), 2699-2711 (2017).

Karabiyik C, Lee MJ & Rubinsztein DC. Autophagy impairment in Parkinson's disease. *Essays Biochem.* 61(6), 711-720 (2017).

Khan KN *et al.* Vitamin A deficiency due to bi-allelic mutation of RBP4: there's more to it than meets the eye. *Ophthalmic Genet.* 38(5), 465-466. (2017).

Khan KN *et al.* Specific alleles of CLN7/MFSD8, a protein that localizes to photoreceptor synaptic terminals, cause a spectrum of nonsyndromic retinal dystrophy. *Invest. Ophthalmol. Vis. Sci.* 58(7), 2906-2914 (2017).

King DA *et al.* Detection of structural mosaicism from targeted and whole-genome sequencing data. *Genome Res.* 27(10), 1704-1714 (2017).

Kiriakidis S *et al.* Complement C1q is hydroxylated by collagen prolyl 4 hydroxylase and is sensitive to off-target inhibition by prolyl hydroxylase domain inhibitors that stabilize hypoxia-inducible factor. *Kidney Int.* 92(4), 900-908 (2017).

Kishi-Itakura C & Buss F. The use of correlative light-electron microscopy (CLEM) to study PINK1/Parkin-mediated mitophagy. *Methods Mol. Biol.* doi:[10.1007/7651_2017_8](https://doi.org/10.1007/7651_2017_8) (2017).

Kono N, Amin-Wetzel N & Ron D. Generic membrane-spanning features endow IRE1 α with responsiveness to membrane aberrancy. *Mol. Biol. Cell* 28(17), 2318-2332 (2017).

Ku C A *et al.* Detailed clinical phenotype and molecular genetic findings in CLN3-associated isolated retinal degeneration. *JAMA Ophthalmol.* 135(7), 749-760 (2017).

Lee E-J *et al.* Whole-exome sequencing in evaluation of patients with venous thromboembolism. *Blood Adv.* 1(16), 1224-1237 (2017).

Lee JYW *et al.* Large intragenic deletion in DSTYK underlies autosomal-recessive complicated spastic paraparesis, SPG23. *Am. J. Hum. Genet.* 100(2), 364-370 (2017).

Li L *et al.* Fumarylacetoacetate hydrolase knock-out rabbit model for hereditary tyrosinemia type 1. *J. Biol. Chem.* 292(11), 4755-4763 (2017).

Liu R *et al.* Homozygous p.Ser267Phe in SLC10A1 is associated with a new type of hypercholanemia and implications for personalized medicine. *Sci. Rep.* 7(1), 9214 doi:[10.1038/s41598-017-07012-2](https://doi.org/10.1038/s41598-017-07012-2) (2017).

Lopez A *et al.* A152T tau allele causes neurodegeneration that can be ameliorated in a zebrafish model by autophagy induction *Brain* 140, 1128-1146 (2017).

Low KJ *et al.* PUF60 variants cause a syndrome of ID, short stature, microcephaly, coloboma, craniofacial, cardiac, renal and spinal features. *Eur. J. Hum. Genet.* 25(5), 552-559 (2017).

Marciniak SJ. Endoplasmic reticulum stress in lung disease. *Eur. Respir. Rev.* 26(144), doi:[10.1183/16000617.0018-2017](https://doi.org/10.1183/16000617.0018-2017) (2017).

Masters TA & Buss F. Filopodia formation and endosome clustering induced by mutant plus-end-directed myosin VI. *Proc. Natl Acad. Sci. USA* 114(7), 1595-1600 (2017).

Masters TA, Tumbarello DA, Chibalina MV & Buss F. MYO6 regulates spatial organization of signaling endosomes driving AKT activation and actin dynamics. *Cell Rep.* 19(10), 2088-2101 (2017).

Mauricio RPM *et al.* The Shigella virulence factor IcsA relieves N-WASP autoinhibition by displacing the Verprolin Homology/Cofilin/Acidic (VCA) domain. *J. Biol. Chem.* 292(1), 134-145 (2017).

McCoy AJ, Oeffner RD, Wrobel AG, Ojala JRM, Tryggvason K, Lohkamp B & Read RJ. Ab initio solution of macromolecular crystal structures without direct methods. *Proc. Natl Acad. Sci. USA* 114(14), 3637-3641 (2017).

McDermott JH, Study DDD & Clayton-Smith J. Sibling recurrence of total anomalous pulmonary venous drainage. *Eur. J. Med. Genet.* 60(5), 265-267 (2017).

Melo EP *et al.* TriPer, an optical probe tuned to the endoplasmic reticulum tracks changes in luminal H₂O₂. *BMC Biol.* 15(1), 24 doi:[10.1186/s12915-017-0367-5](https://doi.org/10.1186/s12915-017-0367-5) (2017).

Menzies FM *et al.* Autophagy and neurodegeneration: pathogenic mechanisms and therapeutic opportunities. *Neuron* 93(5), 1015-1034 (2017).

Meyer E *et al.* Mutations in the histone methyltransferase gene KMT2B cause complex early-onset dystonia. *Nature Genet.* 49, 223 (2017); corrigendum at 49(6), 969 doi:[10.1038/ng0617-969b](https://doi.org/10.1038/ng0617-969b) (2017).

Miles AL, Burr SP, Grice GL & Nathan JA. The vacuolar-ATPase complex and assembly factors, TMEM199 and CCDC115, control HIF1 α prolyl hydroxylation by regulating cellular iron levels. *eLife* 6, doi:[10.7554/eLife.22693](https://doi.org/10.7554/eLife.22693) (2017).

Moir L *et al.* Disruption of the homeodomain transcription factor orthopedia homeobox (Otp) is associated with obesity and anxiety. *Mol. Metab.* 6(11), 1419-1428 (2017).

Mosca S, Raponi M, Meneghello A, Buratti E, Woods CG & Baralle D. Human NDE1 splicing and mammalian brain development. *Sci. Rep.* 7, 43504. doi:[10.1038/srep43504](https://doi.org/10.1038/srep43504) (2017).

Mulder R, Croles FN, Mulder AB, Huntington JA, Meijer K & Lukens MV. SerpinC1 gene mutations in antithrombin deficiency. *Br. J. Haematol.* 178(2), 279-285. (2017).

Navarro Negredo P, Edgar JR, Wrobel AG, Zaccai NR, Antrobus R, Owen DJ & Robinson MS. Contribution of the clathrin adaptor AP-1 subunit μ 1 to acidic cluster protein sorting. *J. Cell Biol.* 216(9), 2927-2943 (2017).

Neerincx A *et al.* TAPBPR bridges UDP-glucose:glycoprotein glucosyltransferase 1 onto MHC class I to provide quality control in the antigen presentation pathway. *eLife* 6, doi:[10.7554/eLife.23049](https://doi.org/10.7554/eLife.23049) (2017).

Olcese C *et al.* X-linked primary ciliary dyskinesia due to mutations in the cytoplasmic axonemal dynein assembly factor PIH1D3. *Nature Comm.* 8, 14279 doi:[10.1038/ncomms14279](https://doi.org/10.1038/ncomms14279) (2017).

Palmer EE *et al.* A recurrent de novo nonsense variant in ZSWIM6 results in severe intellectual disability without frontonasal or limb malformations. *Am. J. Hum. Genet.* 101(6), 995-1005 (2017).

Polderdijk SGI, Adams TE, Ivanciu L, Camire RM, Baglin TP & Huntington JA. Design and characterization of an APC-specific serpin for the treatment of hemophilia.. *Blood*, 129(1), 105-113 (2017).

Polderdijk SGI, Baglin TP & Huntington JA. Targeting activated protein C to treat hemophilia. *Curr. Opin Hematol.* 24(5), 446-452 (2017).

Pomowski A *et al.* Structural insights unravel the zymogenic mechanism of the virulence factor gingipain K from *Porphyromonas gingivalis*, a causative agent of gum disease from the human oral microbiome. *J. Biol. Chem.* 292(14), 5724-5735 (2017).

Preissler S, Rato C, Perera L, Saudek V & Ron D. FICD acts bifunctionally to AMPylate and de-AMPylate the endoplasmic reticulum chaperone BiP. *Nature Struct. Mol. Biol.* 24(1), 23-29 (2017).

Preissler S, Rohland L, Yan Y, Chen R, Read RJ & Ron D. AMPylation targets the rate-limiting step of BiP's ATPase cycle for its functional inactivation. *eLife* 6. doi:[10.7554/eLife.29428](https://doi.org/10.7554/eLife.29428) (2017).

Renna M & Rubinsztein DC. Macroautophagy without LC3 conjugation? *Cell Res.* 27(1), 5-6 (2017).

Ritter AT, Kapnick SM, Murugesan S, Schwartzberg PL, Griffiths GM & Lippincott-Schwartz J. Cortical actin recovery at the immunological synapse leads to termination of lytic granule secretion in cytotoxic T lymphocytes. *Proc. Natl Acad. Sci. USA* 114(32), E6585-E6594 (2017).

Robert X *et al.* X-ray diffraction reveals the intrinsic difference in the physical properties of membrane and soluble proteins. *Sci. Rep.* 7(1), 17013. doi:[10.1038/s41598-017-17216-1](https://doi.org/10.1038/s41598-017-17216-1) (2017).

Rubinsztein DC. RIPK1 promotes inflammation and β -amyloid accumulation in Alzheimer's disease. *Proc. Natl Acad. Sci. USA* 114(41), 10813-10814 (2017).

Sadiku P *et al.* Prolyl hydroxylase 2 inactivation enhances glycogen storage and promotes excessive neutrophilic responses. *J. Clin. Invest.* 127(9), 3407-3420 (2017).

Sahu, B. S., Manna, P. T., Edgar, J. R., Antrobus, R., Mahata, S. K., Bartolomucci, A., . . . Robinson, M. S. (2017). Role of clathrin in dense core vesicle biogenesis.. *Mol Biol Cell*, 28(20), 2676-2685. doi:[10.1091/mbc.E16-10-0742](https://doi.org/10.1091/mbc.E16-10-0742) PMC5620375

Saskin A, Tischkowitz M & DDD Study. Jejunal atresia, periodic fevers and psoriatic arthropathy in Baraitser-Winter malformation syndrome. *Clin. Dysmorphol.* 26(4), 235-237 (2017).

Shaikh SS *et al.* A comprehensive functional analysis of NTRK1 missense mutations causing hereditary sensory and autonomic neuropathy type IV (HSAN IV). *Hum. Mutat.* 38(1), 55-63 (2017).

Singh T *et al.* The contribution of rare variants to risk of schizophrenia in individuals with and without intellectual disability. *Nature Genet.* 49(8) doi:[10.1038/ng.3903](https://doi.org/10.1038/ng.3903) (2017).

Stewart SE *et al.* A genome-wide CRISPR screen reconciles the role of N-linked glycosylation in galectin-3 transport to the cell surface. *J. Cell Sci.* 130(19), 3234-3247 (2017).

Stouffer K, Nahorski M, Moreno P, Sarveswaran N, Menon D, Lee M & Geoffrey Woods C. Functional SNP allele discovery (fSNPd): an approach to find highly penetrant, environmental-triggered genotypes underlying complex human phenotypes. *BMC Genomics* 18(1), 944. doi:[10.1186/s12864-017-4325-y](https://doi.org/10.1186/s12864-017-4325-y) (2017).

Su Y *et al.* PDLIM5 links kidney anion exchanger 1 (kAE1) to ILK and is required for membrane targeting of kAE1. *Sci. Rep.* 7, 39701. doi:[10.1038/srep39701](https://doi.org/10.1038/srep39701) (2017).

Talbot NP, Smith TG, Balanos GM, Dorrington KL, Maxwell PH & Robbins PA. Cardiopulmonary phenotype associated with human PHD2 mutation. *Physiol. Rep.* 5(7). doi:[10.14814/phy2.13224](https://doi.org/10.14814/phy2.13224) (2017).

Tchasovnikarova IA *et al.* Hyperactivation of HUSH complex function by Charcot-Marie-Tooth disease mutation in MORC2. *Nature Genet.* 49(7), 1035-1044. (2017).

Thomas DC *et al.* Eros is a novel transmembrane protein that controls the phagocyte respiratory burst and is essential for innate immunity. *J. Exp. Med.* 214(4), 1111-1128. (2017).

Tschurtschenthaler M *et al.* Defective ATG16L1-mediated removal of IRE1 α drives Crohn's disease-like ileitis. *J. Exp. Med.* 214(2), 401-422 (2017).

Underwood BR *et al.* An open-label study to assess the feasibility and tolerability of rilmenidine for the treatment of Huntington's disease. *J. Neurol.* 264(12), 2457-2463 (2017).

van de Weijer ML *et al.* Multiple E2 ubiquitin-conjugating enzymes regulate human cytomegalovirus US2-mediated immunoreceptor downregulation. *J. Cell Sci.* 130(17), 2883-2892 (2017).

Vicinanza M, Gratian MJ, Bowen M & Rubinsztein DC. Fluorescence-based assays to analyse phosphatidylinositol 5-phosphate in autophagy. *Methods Enzymol.* 587, 311-330 (2017).

Voskarides K *et al.* A functional variant in NEPH3 gene confers high risk of renal failure in primary hematuric glomerulopathies. Evidence for predisposition to microalbuminuria in the general population. *PLoS One*, 12(3), e0174274 (2017).

Warren AJ Decoding erythropoiesis. *Blood* 129(5), 544-545 (2017).

Waxse BJ *et al.* Myosin VI facilitates connexin 43 gap junction accretion. *J. Cell Sci.* 130(5), 827-840 (2017).

Weiss K *et al.* Haploinsufficiency of ZNF462 is associated with craniofacial anomalies, corpus callosum dysgenesis, ptosis, and developmental delay. *Eur. J. Hum. Genet.* 25(8), 946-951 (2017).