

Bailey PSJ & Nathan JA. Metabolic regulation of hypoxia-inducible transcription factors: the Role of small molecule metabolites and iron. *Biomedicines* 6(2) doi:[10.3390/biomedicines6020060](https://doi.org/10.3390/biomedicines6020060) (2018).

Bailey PSJ, Hiltunen JK, Dieckmann CL, Kastaniotis AJ & Nathan JA. Different opinion on the reported role of Poldip2 and ACSM1 in a mammalian lipoic acid salvage pathway controlling HIF-1 activation.. *Proc Natl Acad Sci USA* doi:[10.1073/pnas.1804041115](https://doi.org/10.1073/pnas.1804041115) (2018).

Balmus G *et al.* Targeting of NAT10 enhances healthspan in a mouse model of human accelerated aging syndrome. *Nature Commun.* 9(1), 1700 doi:[10.1038/s41467-018-03770-3](https://doi.org/10.1038/s41467-018-03770-3) (2018).

Carroll B *et al.* Oxidation of SQSTM1/p62 mediates the link between redox state and protein homeostasis. *Nature Commun.* 9(1), 256 doi:[10.1038/s41467-017-02746-z](https://doi.org/10.1038/s41467-017-02746-z) (2018).

Cassidy LD *et al.* A novel Atg5-shRNA mouse model enables temporal control of autophagy *in vivo*. *Autophagy* 1-11 doi:[10.1080/15548627.2018.1458172](https://doi.org/10.1080/15548627.2018.1458172) (2018).

Corrochano S *et al.* A genetic modifier suggests that endurance exercise exacerbates Huntington's disease. *Hum. Mol. Genet.* 27(10), 1723-1731 (2018).

Crespillo-Casado A, Claes Z, Choy MS, Peti W, Bollen M & Ron D. A sephin1-insensitive tripartite holophosphatase dephosphorylates translation initiation factor 2 α . *J. Biol. Chem.* 293(20):7766-7776 (2018).

Dickens JA, Malzer E, Chambers JE & Marciniak SJ. Pulmonary endoplasmic reticulum stress-scars, smoke, and suffocation. *FEBS J.* doi:[10.1111/febs.14381](https://doi.org/10.1111/febs.14381) (2018).

Douse CH, Liu Y, Bloor S, Shamin M, Tchasovnikarova IA, Timms RT, Lehner PJ & Modis Y. Neuropathic mutations in MORC2 perturb GHKL ATPase dimerization dynamics and transcriptional control by multiple structural mechanisms. *Nature Comm.* 9(1):651 (2018).

Ellingford JM *et al.* Assessment of the incorporation of CNV surveillance into gene panel next-generation sequencing testing for inherited retinal diseases. *J. Med. Genet.* 55(2), 114-121 (2018).

Farmery JHR *et al.* Telomerecat: A ploidy-agnostic method for estimating telomere length from whole genome sequencing data. *Sci. Rep.* 8(1), 1300 doi:[10.1038/s41598-017-14403-y](https://doi.org/10.1038/s41598-017-14403-y) (2018).

Galluzzi L *et al.* Molecular mechanisms of cell death: recommendations of the Nomenclature Committee on Cell Death 2018. *Cell Death Differ.* 25(3), 486-541 (2018).

Gruszczyk J *et al.* Transferrin receptor 1 is a reticulocyte-specific receptor for Plasmodium vivax. *Science* 359(6371), 48-55 (2018).

Haider A *et al.* PCYT1A regulates phosphatidylcholine homeostasis from the inner nuclear membrane in response to membrane stored curvature elastic stress. *Dev. Cell* 45(4), 481-495.e8 (2018).

Hansen M, Rubinsztein DC & Walker DW. Autophagy as a promoter of longevity: insights from model organisms. *Nature Rev. Mol. Cell Biol.* doi:[10.1038/s41580-018-0048-4](https://doi.org/10.1038/s41580-018-0048-4) (2018).

Hill CH, Cook GM, Spratley SJ, Fawke S, Graham SC & Deane JE. The mechanism of glycosphingolipid degradation revealed by a GALC-SapA complex structure. *Nature Commun.* 9(1), 151. doi:[10.1038/s41467-017-02361-y](https://doi.org/10.1038/s41467-017-02361-y) (2018).

Hirst J, Itzhak DN, Antrobus R, Borner GHH & Robinson MS. Role of the AP-5 adaptor protein complex in late endosome-to-Golgi retrieval. *PLoS Biol.* 16(1), e2004411 doi:[10.1371/journal.pbio.2004411](https://doi.org/10.1371/journal.pbio.2004411) (2018).

Ito Y *et al.* De novo truncating mutations in WASF1 cause intellectual disability with seizures. *Am. J. Hum. Genet.* 103(1), 144-153 (2018).

Khan KN *et al.* Detailed retinal imaging in carriers of ocular albinism. *Retina* 38(3), 620-628 (2018).

Khan KN *et al.* A clinical and molecular characterisation of CRB1-associated maculopathy. *Eur. J. Hum. Genet.* 26(5), 687-694 (2018).

Kruppa AJ *et al.* Myosin VI-dependent actin cages encapsulate parkin-positive damaged mitochondria. *Dev. Cell* 44(4), 484-499.e6 (2018).

Larrieu D, VirÈ E, Robson S, Breusegem SY, Kouzarides T & Jackson SP. Inhibition of the acetyltransferase NAT10 normalizes progeric and aging cells by rebalancing the Transportin-1 nuclear import pathway. *Sci. Signal* 11(537) doi:[10.1126/scisignal.aar5401](https://doi.org/10.1126/scisignal.aar5401) (2018).

Lètard P *et al.* Autosomal recessive primary microcephaly due to ASPM mutations: An update. *Hum. Mutat.* 39(3), 319-332 (2018).

Low KJ *et al.* A novel PIGA variant associated with severe X-linked epilepsy and profound developmental delay. *Seizure* 56, 1-3 (2018).

Low KJ *et al.* Phenotype of CNTNAP1: a study of patients demonstrating a specific severe congenital hypomyelinating neuropathy with survival beyond infancy. *Eur. J. Hum. Genet.* 26(6), 796-807 (2018).

McCoy AJ, Oeffner RD, Millán C, Sammito M, Usón I & Read RJ. Gyre and gimble: a maximum-likelihood replacement for Patterson correlation refinement. *Acta Crystallogr. D Struct. Biol.* 74(Pt 4), 279-289 (2018).

Millán C *et al.* Exploiting distant homologues for phasing through the generation of compact fragments, local fold refinement and partial solution combination. *Acta Crystallogr. D Struct. Biol.* 74(Pt 4), 290-304 (2018).

Nahorski MS, Borner GHH, Shaikh SS, Davies AK, Al-Gazali L, Antrobus R & Woods CG. Clathrin heavy chain 22 contributes to the control of neuropeptide degradation and secretion during neuronal development. *Sci. Rep.* 8(1), 2340. doi:[10.1038/s41598-018-19980-0](https://doi.org/10.1038/s41598-018-19980-0) (2018).

Nahorski MS *et al.* Biallelic UFM1 and UFC1 mutations expand the essential role of ufmylation in brain development. *Brain* 141(7), 1934-1945 (2018).

Navarro Negredo P, Edgar JR, Manna PT, Antrobus R & Robinson MS. The WDR11 complex facilitates the tethering of AP-1-derived vesicles. *Nature Commun.* 9(1), 596 doi:[10.1038/s41467-018-02919-4](https://doi.org/10.1038/s41467-018-02919-4) (2018).

Newton T *et al.* Mechanistic basis of an epistatic interaction reducing age at onset in hereditary spastic paraplegia. *Brain* 141(5), 1286-1299 (2018).

O'Brien JJ *et al.* Compositional proteomics: effects of spatial constraints on protein quantification utilizing isobaric tags. *J. Proteome Res.* 17(1), 590-599 (2018).

Oeffner RD, Afonine PV, Millán C, Sammito M, Usón I, Read RJ & McCoy AJ. On the application of the expected log-likelihood gain to decision making in molecular replacement. *Acta Crystallogr. D Struct. Biol.* 74(Pt 4), 245-255 (2018).

Pavel M *et al.* Contact inhibition controls cell survival and proliferation via YAP/TAZ autophagy axis. *Nature Commun.* 9(1):2961 (2018).

Pagnamenta AT *et al.* A homozygous variant disrupting the PIGH start-codon is associated with developmental delay, epilepsy, and microcephaly. *Hum. Mutat.* 39(6), 822-826 (2018).

Palmer EE *et al.* De novo and inherited mutations in the X-linked gene CLCN4 are associated with syndromic intellectual disability and behavior and seizure disorders in males and females. *Mol. Psychiatry* 23(2), 222-230 (2018).

Polderdijk SGI & Huntington JA. Identification of serpins specific for activated protein C using a lysate-based screening assay. *Sci. Rep.* 8(1), 8793 doi:[10.1038/s41598-018-27067-z](https://doi.org/10.1038/s41598-018-27067-z) (2018).

Puri C, Vicinanza M & Rubinsztein DC. Phagophores evolve from recycling endosomes. *Autophagy* 1-3 doi:[10.1080/15548627.2018.1482148](https://doi.org/10.1080/15548627.2018.1482148) (2018).

Raymond FL, Horvath R & Chinnery PF. First-line genomic diagnosis of mitochondrial disorders. *Nature Rev. Genet.* 19(7), 399-400 (2018).

Rhodes DA *et al.* Regulation of human $\gamma\delta$ T cells by BTN3A1 protein stability and ATP-binding cassette transporters. *Front. Immunol.* 9, 662 doi:[10.3389/fimmu.2018.00662](https://doi.org/10.3389/fimmu.2018.00662) (2018).

Richard AC, Lun ATL, Lau WWY, Gøttgens B, Marioni JC & Griffiths GM. T cell cytolytic capacity is independent of initial stimulation strength. *Nature Immunol.* 19(8), 849-858 (2018).

Robbez-Masson L, Tie CHC, Conde L, Tunbak H, Husovsky C, Tchasovnikarova IA, Timms RT, Herrero J, Lehner PJ & Rowe HM. The HUSH complex cooperates with TRIM28 to repress young retrotransposons and new genes. *Genome Res.* 28(6): 836-845 (2018).

Robert X *et al.* Au courant computation of the PDB to audit diffraction anisotropy of soluble and membrane proteins. *Data in Brief* 19, 753-757 (2018).

Scott RM, Henske EP, Raby B, Boone PM, Rusk RA & Marciniak SJ. Familial pneumothorax: towards precision medicine. *Thorax* 73(3), 270-276 (2018).

Shaikh SS, Nahorski MS, Rai H & Woods CG. Before progressing from "exomes" to "genomes", don't forget splicing variants. *Eur. J. Hum. Genet.* doi:[10.1038/s41431-018-0214-3](https://doi.org/10.1038/s41431-018-0214-3) (2018).

Stefanovic-Barrett S *et al.* MARCH6 and TRC8 facilitate the quality control of cytosolic and tail-anchored proteins. *EMBO Rep.* 19(5). doi:[10.15252/embr.201745603](https://doi.org/10.15252/embr.201745603) (2018).

Tuijnenburg P *et al.* Loss-of-function nuclear factor κ B subunit 1 (NFKB1) variants are the most common monogenic cause of common variable immunodeficiency in Europeans. *J. Allergy Clin. Immunol.* doi:[10.1016/j.jaci.2018.01.039](https://doi.org/10.1016/j.jaci.2018.01.039) (2018).

Ververi A *et al.* Phenotypic spectrum associated with de novo mutations in QRICH1 gene. *Clin. Genet.* 93(2), 286-292 (2018).

Villate O *et al.* Functional analyses of a novel splice variant in the CHD7 gene, found by next generation sequencing, confirm its pathogenicity in a Spanish patient and diagnose him with CHARGE syndrome. *Front. Genet.* 9, 7 doi:[10.3389/fgene.2018.00007](https://doi.org/10.3389/fgene.2018.00007) (2018).

Warren AJ. Molecular basis of the human ribosomopathy Shwachman-Diamond syndrome. *Adv. Biol. Regul.* 67, 109-127 (2018).

Whitworth J *et al.* Comprehensive cancer-predisposition gene testing in an adult multiple primary tumor series shows a broad range of deleterious variants and atypical tumor phenotypes. *Am. J. Hum. Genet.* 103(1), 3-18 (2018).

Zyryanova AF *et al.* Binding of ISRIB reveals a regulatory site in the nucleotide exchange factor eIF2B. *Science* 359(6383):1533-1536 (2018).